ELEVATION CERTIFICATE

O.M.B. No 3067-0077 Expires May 31, 1993

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

TTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to TTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to evide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION			
BUILDING OWNER'S NAME	FOR INSURANCE COMPANY USE		
ARTHUR ZUCKER	POLICY NUMBER		
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER OTHER DESCRIPTION (Lot and Block Numbers, etc.)	COMPANY NAIC NUMBER		
LOT 9, WINSTON ESTATES P.B. 41, PG. 22			
Bt/leac Beach STATE	ZIP CODE		
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	34634		
Provide the following from the proper FIRM (See Instructions):			
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SLIFFLY 4. DATE OF THE STATE OF			
125089 0002 B MARCH 2, 1983 A11	6. BASE FLOOD ELEVATION (In AO Zones, use depth)		
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE fo the community's BFE: Feet NGVD (or other FIRM datum—see Section B, Item 7).			
SECTION C BUILDING ELEVATION INFORMATION 1 Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Palescribes the subject building's reference level.			
 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected of local Policy feet NGVD (or other FIRM datum—see Section B, Item 7). (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the selected diagram, is at an elevation of feet NGVD (or other FIRM datum—see Sec below (check one) the highest grade adjacent to the building. (c). FIRM Zone AO. The floor used as the reference level from the selected diagram is feet about one) the highest grade adjacent to the building. If no flood depth number is available, is the building's I level) elevated in accordance with the community's floodplain management ordinance? Yes No. Indicate the elevation datum system used in determining the elevation datum. 	the reference level from tion B, Item 7). feet above or or or below (check owest floor (reference		
under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different equation under Comments on Page 2.)	'29 Other (describe		
Elevation reference mark used appears on FIRM: Yes You (See Instructions on Page 4)			
The reference level elevation is based on: actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level flocuse this certificate will only be valid for the building during the course of construction. A post-construction will be required once construction is complete.)	Elevation Certificate		
The elevation of the lowest grade immediately adjacent to the building is: 1 3 3 feet NGVD (or of Section B, Item 7).	other FIRM datum-see		
SECTION D COMMUNITY INFORMATION			
be community official responsible for verifying building elevations specifies that the reference level indicates not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the floor" as defined by the ordinance is:	o buildin I w		


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIE	R'S NAME		1.	LICENSE NUMBER (or Allix Seal)						
(20	1409	0. K.	hite			40	166	•		
TITLE	/ /				COMPANY	IAME,				
	OWNER		-			Gregoro	1 0.	White	Inc. Inc	2.
ADDRESS	30804	U.S.	Hwy	19	CITY	Suite	121	Prt.	STATE	34684
SIGNATUI	5	,(200	6_		12/11	194	PHONE	3/787	-30m
Copies	should be m	ade of this C	ertificate for:	1) comm	unily offic	ial, 2) insurai	nce agent/c	ompany, and	3) building	owner.
СОММЕ	ENTS:	and the second s								
							of Statement State Laters . And the job companying Statement has			
Marie de la companya (va					
	Park (Manager)									,



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.