U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

11/24/2021 CB20-06085

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFOR	FOR INSUR	RANCE COMPANY USE			
A1. Building Owner's Name				per:	
Castlepark Investments LLC	Castlepark Investments LLC				
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 110 15th Street				AIC Number:	
City					
Belleair Beach	Florida		33786		
A3. Property Description (Lot and Block Numbers, Tax Parce Lot "N", Block 15, Unit D Belleair Beach Subdivision (Parcel I			.)		
A4. Building Use (e.g., Residential, Non-Residential, Addition	, Accessory, etc.)	Residentia	ĺ		
A5. Latitude/Longitude: Lat. 27°55'14.5" N Long. 8	2°50'32.5" W	Horizontal	Datum: NAD 1	927 × NAD 1983	
A6. Attach at least 2 photographs of the building if the Certific	cate is being used	to obtain flood	insurance.		
A7. Building Diagram Number7					
A8. For a building with a crawlspace or enclosure(s):					
a) Square footage of crawlspace or enclosure(s)	2827.	.11 sq ft			
b) Number of permanent flood openings in the crawlspac	e or enclosure(s) v	within 1.0 foot	above adjacent gra	nde 15	
c) Total net area of flood openings in A8.b	3075.00 sq in				
d) Engineered flood openings? X Yes No					
A9. For a building with an attached garage:					
a) Square footage of attached garage	N/A sq ft				
b) Number of permanent flood openings in the attached of	arage within 1.0 fo	oot above adja	cent grade N/A		
c) Total net area of flood openings in A9.b	N/A sqin				
d) Engineered flood openings? Yes X No	•				
d) Engineered flood openings:					
SECTION B – FLOOD INSURA	NCE RATE MAP	(FIRM) INFO	ORMATION		
B1. NFIP Community Name & Community Number	B2. County Nam	Name B3. State		B3. State	
City of Belleair Beach 125089	Pinellas			Florida	
Number Date Eff		Flood ne(s)	B9. Base Flood E (Zone AO, use	levation(s) e Base Flood Depth)	
12103C0112 H 08-24-2021 08-24-	ACCOUNTS AND ADDRESS AND ADDRE		8.0		
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:					
☐ FIS Profile ☒ FIRM ☐ Community Determined ☐ Other/Source:					
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No					
Designation Date: CBRS	□ OPA		.		

'ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 110 15th Street			Policy Number:	
City State Belleair Beach Florid		Code 86	Company NAIC Number	
SECTION C - BUILDING ELE	VATION INFORMAT	FION (SURVEY RE	EQUIRED)	
C1. Building elevations are based on: Construction *A new Elevation Certificate will be required when con		Iding Under Construing is complete.	uction* X Finished Construction	
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), V Complete Items C2.a–h below according to the buildi Benchmark Utilized: "HALL C" PID AG0554		in Item A7. In Puert		
Indicate elevation datum used for the elevations in ite				
☐ NGVD 1929 区 NAVD 1988 ☐ Other/So	ource:			
Datum used for building elevations must be the same	as that used for the E	3FE.	Check the measurement used.	
a) Top of bottom floor (including basement, crawlspa	ace, or enclosure floor)	6.0 X feet meters	
b) Top of the next higher floor			18.1 🔀 feet 🗌 meters	
c) Bottom of the lowest horizontal structural member	r (V Zones only)		N/A feet meters	
d) Attached garage (top of slab)	(V adrice diny)		N/A feet meters	
e) Lowest elevation of machinery or equipment servi (Describe type of equipment and location in Comm	icing the building nents)		11.4 X feet meters	
f) Lowest adjacent (finished) grade next to building ((LAG)		4.8 X feet meters	
g) Highest adjacent (finished) grade next to building	(HAG)		5.8 ⊠ feet ☐ meters	
h) Lowest adjacent grade at lowest elevation of deck structural support	` '		N/A feet meters	
SECTION D - SURVEYOR, I	ENGINEER, OR ARG	CHITECT CERTIFI	ICATION	
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.				
Were latitude and longitude in Section A provided by a lice	•	⊠Yes □No	Check here if attachments.	
Certifier's Name	License Number			
Dennis J. Eyre	2865		- Linux	
Title Professional Surveyor and Mapper			James My	
Company Name Geodata Services, Inc.			A STATE OF THE STA	
Address 1166 Kapp Drive				
City Clearwater	State Florida	ZIP Code 33765	- 11-19-2021	
Signature Dennis J Eyre PLS 2865 Digitally signed by Dennis J Eyre PLS 2865 Delay: 2021.11.19 08:02:44 -0500	Date 11-18-2021	Telephone (727) 447-1763	Ext.	
Copy all pages of this Elevation Certificate and all attachmen	its for (1) community of	ficial, (2) insurance a	agent/company, and (3) building owner.	
Comments (including type of equipment and location, per C2(e), if applicable) A5. Determined with GIS program "Google Earth". A8.a) Ground floor enclosure. (No living area). A8.c) Total rated value of all engineered flood vents. A8.d) (15) "Crawl Space Door Systems" 816CS, 205 square feet coverage each. B7. Panel effective date. B9. Rounded whole foot value from FIRM. C2.a) Ground floor enclosure. C2.b) 2nd floor. (1st Living floor). C2.e) Water heater on platform in ground floor enclosure. Additional elevations: Air conditioner at left side of building = 11.5 feet. Electric meter box at left side of building = 11.5 feet. Elevator equipment on platform in ground floor enclosure = 11.5 feet. Note: This building was permitted with FIRM dated 09-03-2003, and was in flood zone "AE" (EL 10).				

*ELEVATION CERTIFICATE

مي ساسي

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No. 110 15th Street			Policy Number:	
City Belleair Beach	State Florida	ZIP Code 33786	Company NAIC Number	
SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)				
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).				
a) Top of bottom floor (including basement, crawlspace, or enclosure) is			rs ☐ above or ☐ below the HAG.	
 b) Top of bottom floor (including basement, crawlspace, or enclosure) is 		feet mete		
E2. For Building Diagrams 6–9 with permanent flood the next higher floor (elevation C2.b in the diagrams) of the building isE3. Attached garage (top of slab) is	openings provided in	Section A Items 8 and/or	rs	
E4. Top of platform of machinery and/or equipment servicing the building is				
E5. Zone AO only: If no flood depth number is availal floodplain management ordinance? Yes	ole, is the top of the t	oottom floor elevated in ac	ccordance with the community's	
SECTION F - PROPERTY OW	VNER (OR OWNER'S	REPRESENTATIVE) C	ERTIFICATION	
The property owner or owner's authorized represental community-issued BFE) or Zone AO must sign here.	tive who completes S The statements in Se	ections A, B, and E for Zo ctions A, B, and E are co	one A (without a FEMA-issued or rect to the best of my knowledge.	
Property Owner or Owner's Authorized Representative			-	
Address	City	y St	ate ZIP Code	
Signature	Da	te Te	elephone	
Comments				
			Check here if attachments.	

في بد مربو

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 110 15th Street			No. Policy Number:	
City Belleair Beach	State Florida	ZIP Code 33786	Company NAIC Number	
SECTIO	N G - COMMUNITY IN	FORMATION (OPTIO	NAL)	
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.				
			gned and sealed by a licensed surveyor, cate the source and date of the elevation	
G2. A community official completed Secti or Zone AO.	on E for a building locat	ed in Zone A (without a	a FEMA-issued or community-issued BFE)	
G3. The following information (Items G4–	G10) is provided for cor	nmunity floodplain mar	nagement purposes.	
G4. Permit Number	G5. Date Permit Issue	ed	G6. Date Certificate of Compliance/Occupancy Issued	
G7. This permit has been issued for:	New Construction	Substantial Improveme	ent	
G8. Elevation of as-built lowest floor (including of the building:	g basement)		feet meters Datum	
G9. BFE or (in Zone AO) depth of flooding at t	he building site:		feet meters Datum	
G10. Community's design flood elevation:			feet meters Datum	
Local Official's Name		Title		
Community Name		Telephone		
Signature	· · · · · · · · · · · · · · · · · · ·	Date		
Comments (including type of equipment and loc	ation, per C2(e), if appli	cable)		
			Check here if attachments.	

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2022

ELEVATION CERTIFICATE IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: 110 15th Street City State ZIP Code Company NAIC Number Belleair Beach Florida 33786

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One Caption Front View 11-15-2021

Clear Photo One




Photo Two

Photo Two Caption Rear View 11-15-2021

Clear Photo Two

BUILDING PHOTOGRAPHS

OMB No. 1660-0008

Continuation Page Expiration Date: November 30, 2022

			Expiration bate. November 60, 2022
IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 110 15th Street			Policy Number:
City	State	ZIP Code	Company NAIC Number
Belleair Beach	Florida	33786	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption Right Side View 11-15-2021

ELEVATION CERTIFICATE

Clear Photo Three



Photo Four

Photo Four Caption Left Side View 11-15-2021

Clear Photo Four

Certification of Engineered Flood Openings

In accordance with the Code of Federal Regulations for the National Flood Insurance Program

I hereby certify that the Crawl Space Door Systems flood vents 816CS, 1220CS, 1232CS, 1616CS, 1624CS, 1632CS, 2032CS, 2424CS, and 2436CS are designed are designed in accordance with the requirements of the Code of Federal Regulations for the National Flood Insurance Program (NFIP) to provide automatic equalization of hydrostatic flood forces by allowing for the entry and exit of floodwaters, when properly installed and sized as set forth below. Vent opening measurements were measured and certified by Mr. Christopher Mark Loney, Virginia P.E. NO. 029000. Detailed calculations were prepared as outlined In "Review of certification of Engineered Flood Openings," prepared by Dr. Georg Reichard, Associate Professor of Building Construction, Virginia Tech (available upon request from Crawl Space Door Systems, Inc. billy@crawlspacedoors.com)

Design Characteristics

Section 2.6.2.2 of ASCE/SEI 24-05 provides an equation to determine the required <u>net area</u> of engineered openings (A_o) for a given <u>enclosed area</u> (A_e). This equation is based on the hydraulic formula for the flow rate across sharp edged orifices. I have utilized this equation to calculate 1) the restricted flow rate through the main frame opening in case the louver is blown out during a flood event; 2) the flow rate through the individual openings between louver blades; and 3) the flow rate through projected openings between louver blades following hydraulic short-tube theory. The maximum total enclosed area (A_e) that can be serviced by a single vent has then been determined by utilizing the lowest flow rate of the three assessed scenarios for each vent and is listed in Table 1. These values are based on the following assumptions:

- In absence of reliable data, the rates of rise and fall have been assumed at a minimum rate of 5 feet/hour;
- The (maximum) difference between the exterior and interior floodwater levels shall not exceed 1 foot during base flood conditions;
- A factor of safety of 5 has been assumed, which is consistent with design practices related to protection of life and property;
- The net area of openings (A_o) as provided by the manufacturer.

This certification will be voided if the following installation requirements and limitations are not enforced:

- There shall be a minimum of two openings on different sides of each enclosed area subject to flooding;
- The bottom of all openings shall be no higher than one foot above the higher of the interior or exterior grade that is immediately under each opening;
- No temporary (e.g. during cold weather) or permanent solid cover may be placed into or over the flood vent that would block the automatic entry or exit of floodwaters at any time;
- Where data or analyses indicate more rapid rates of rise and fall, the required number of openings shall be increased to account
 for those different conditions. The number or size of the openings may be decreased if data or analyses indicate rates of rise
 and fall are less than 5 feet per hour.

*)	Model	H x W [in]	A _o [in ²]	A _e [ft ²]
	816CS	8 x 16	105	205
	1220CS	12 x 20	235	500
	1232CS	12 x 32	305	645
	1616CS	16 x 16	180	395
	1624CS	16 x 24	310	670
	1632CS	16 x 32	405	835
	2032CS	20 x 32	630	1240
	2424CS	24 x 24	570	1230
	2436CS	24 x 36	850	1765

Table 1 Maximum total <u>enclosed</u> <u>area</u> (A_e) that can be serviced by each individual model based on the given <u>net area</u> of engineered openings (A_o)

Certifying Design Professional

Name	J. Stacey Hart	Title President	WISTACEY HAVE
Company	J. Stacey Hart & Associates, Inc.		REGISTERED
Address	P.O. Box 6, Snow Hill, MD 21863		No. 10755
License	Professional Engineer	License No. 10755	
Signature	I Bay Hart	Date: 11/27/2017	THE STAWARE ROLLING

Identification of the Building and Installed Flood Vents (By Others)

The flood vent models marked in Table 1*) are being installed at the following building:

Building Address

Spring 2012 Ver. 2.0