To SIAN MOORE

## **ELEVATION CERTIFICATE**

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No 3067-0077 Expires May 31, 1993

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	SECTION A PE	The second name of the second na	DEMATION	rue iolioming bai	ges.
SECTION A PROPERTY INFORMATION BUILDING OWNER'S NAME					FOR INSURANCE COMPANY USE
MARY JO H	ENDERSON				POLICY NUMBER
STREET ADDRESS (Including A	pt., Unit, Suite and/or Blog.	Number) OR P.O.	ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER
118 15th					TO HOURSER
LOT 6, BLO	DCK D, BELLEAIR BE	ACH SUBD.			
CITY	EACH, FLORIDA			STATE	ZIP CODE
		LOOD INSURA	NCE RATE MAP (FIRM)	NEODIATION	
Provide the following from ti			THE MAP (TIMM)	HAPORMATION	
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	£ 500	
125089	0000			5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
The same of the sa	0002	8	03/02/83	"A11"	(EL10)
7. Indicate the elevation date 8. For Zones A or V, where the community's BFE:	io piorioco o	in the in that, di	u ille community has asta	anlighed a REE for	Other (describe on back)    this building site, indicate
	SECTIO	NC BUILDIN	G ELEVATION INFORM	ATION	
below (check one) to below (check one) to below (check one) to one) the highest grade a level) elevated in accordance the elevation daturate the elevation daturate remains on Page the FIRM [see Section B, equation under Comments	E, and V (with BFE).  at an elevation of  BFE). The floor used the highest grade adjusted as the reference adjacent to the buildir lance with the common system used in deceived.  (NOTE: If the elemant of the page 2.)	The bottom of as the reference acent to the business. If no flood cunity's floodplaitermining the all evation datum of the elevations.	Section B, Item 7).  the lowest horizontal structed NGVD (or other FIRM ce level from the selected diding.  the selected diagram is depth number is available in management ordinance bove reference level elevated in measuring the elected to the datum system used to the datum system used.	diagram is feet abo is the building's in the building in	the reference level from tion B, Item 7).  feet above or  or below (check owest floor (reference of Unknown)  '29 Other (describe)
Elevation reference mark u	sed appears on FIRI	M: Yes 🔀	No (See Instructions on	Page 4)	
The reference level elevation (NOTE: Use of construction case this certificate will only will be required once constructions.	n drawings is only va be valid for the build uction is complete.)	alid if the building the d	ng does not yet have the recourse of construction. A	reference level floo post-construction	Elevation Certificate
The elevation of the lowest Section B, Item 7).	grade immediately a	djacent to the b	puilding is:5j.	6 feet NGVD (or	other FIRM datum-see
	SEC	TION D COM	MUNITY INFORMATION	1	
If the community official res is not the "lowest floor" as o floor" as defined by the ordi Date of the start of construc	nance is:	inty's lloodplain	management ordinance	the elevation of t	ha buildingle Newsel


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number. Section C. Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code. Section 1001.

	LICENSE NUMBER (or Affix Seal)					
ERTIFIER'S NAME  JOHN H. LOVELETTE	PLS#5320 COMPANY NAME					
PLS	FINSTAD & ASSOC.	STATE	ZIP			
3000 GULF TO BAY BLVD STE	205 CLEARWATER FLORIDA	DATE PHONE 813 797-3603				
	ificate for: 1) community official, 2) insu	rance agent/company, and 3) building	owner.			
OMMENTS:						



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.