O.M.B. NO. 3067-0077 Expires May 31, 1996

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

	SECTION A PR	OPERTY INFO	RMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	POLICY NUMBER				
GERALD PRESCOTT					
STREET ADDRESS (Including Ap			ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER
115 18th STREET, I		, FLORIDA			
OTHER DESCRIPTION (Lot and I					
CITY	LLEVUE ESA'ATES	THIRD ADD	ITION, PINELLAS CO		
BELLAIRE BEACH				STATE FL	ZIP CODE
12)	SECTION B F	LOOD INSURA	NCE RATE MAP (FIRM)		
Provide the following from the	he proper FIRM (See	Instructions):	-		
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
125089	0002	В	3/2/83	A-11	(in AO Zones, use depth)
7. Indicate the elevation dat	um system used on t	he FIRM for Ba	use Flood Elevations (BFE	: E): 🙀 NGVD '29	Other (describe on back)
8. For Zones A or V, where	no BFE is provided o	n the FIRM, an	d the community has esta	ablished a BFE f	or this building site, indicate
the community's BFE:	feet N	IGVD (or other	FIRM datum-see Section	B, Item 7).	
40000	SECTION	ON C BUILDII	NG ELEVATION INFORM	NOITAI	
 (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in accordance in accordance in the elevation dat under Comments on Pagathe FIRM [see Section Elequation under Comments] 	VE, and V (with BFE) is at an elevation of BFE). The floor used the highest grade across adjacent to the build rdance with the commum system used in dee 2). (NOTE: If the ear, Item 7], then converts on Page 2.)	d as the referent diacent to the birence level from ing. If no flood nunity's floodplate etermining the elevation datument the elevation	of the lowest horizontal strain feet NGVD (or other FIR nee level from the selected uilding. In the selected diagram is depth number is available ain management ordinance above reference level elem used in measuring the ensity to the datum system used.	M datum—see Sed diagram is feet all e, is the building ce? Yes vations: X NGN blevations is different on the FIRM	bove or below (check s lowest floor (reference No Unknown
4. Elevation reference mark		RM: 🗵 Yes 🗌	No (See Instructions or	n Page 4)	
5. The reference level eleva (NOTE: Use of construct case this certificate will or will be required once cons	tion drawings is only vally be valid for the bui	valid if the build ilding during the	ling does not yet have the	reference level	floor in place, in which ion Elevation Certificate
The elevation of the lowe Section B, Item 7).	st grade immediately	adjacent to the	building is: 6	. O .feet NGVD	or other FIRM datum-see
	SE	CTION D CO	MMUNITY INFORMATIO)N	
1. If the community official re is not the "lowest floor" as floor" as defined by the or 2. Date of the start of construction.	s defined in the comm rdinance is:	nunity's floodpla	ain management ordinand GVD (or other FIRM datu	e, the elevation of the mesee Section E	of the building's "lowest

SECTION E CERTIFICATION


30010

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENS	E NUMBER (or Affi	x Seal)	
GUY D. HALE	4	626		
TITLE	COMPANY NAME			0 1
PROF. LAND SURVEYOR	GUY HALE LAND	SURVEYING		
ADDRESS	CITY		STATE	
231 DOUGLAS ROAD SUITE 4	OLDSMAR		FL	34677
SIGNATURE AND		9/29/95	PHONE 813 855-4714	to the second
Conies should be made of this Contisions to				
_	r: 1) community official, 2) in	surance agent/	company, and 3) build	ding owner.
Copies should be made of this Certificate fo	r: 1) community official, 2) in	surance agent/	company, and 3) build	ding owner.
_	r: 1) community official, 2) in	surance agent/	company, and 3) build	ding owner.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.