ELEVATION CERTIFICATE

O.M.B. No 3067-0077 Expires May 31, 1993

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to rovide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to elemine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	SECTION A PR	OPERTY INFO	RMATION		FOR INSURANCE COMPANY HOS					
BUILDING OWNER'S NAME	FOR INSURANCE COMPANY USE POLICY NUMBER									
SAWY ORS, S	- SEIST HOMBER									
STREET ADDRESS (Including Ap	COMPANY NAIC NUMBER									
OTHER DESCRIPTION (Lot and	Block Numbers, etc.) VSTON ESTATE	3								
BELLEAR BEA	STATE FL-	ZIP CODE								
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION										
Provide the following from the proper FIRM (See Instructions):										
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION					
125009	0002	В	3/02/03	A-11	(in AO Zones, use depth)					
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).										
SECTION C BUILDING ELEVATION INFORMATION										
(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of \(\bigcup \big										
5. The reference level elevation is based on: actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)										
6. The elevation of the lowest grade immediately adjacent to the building is: 1 9 .5 feet NGVD (or other FIRM datum-see Section B, Item 7).										
SECTION D COMMUNITY INFORMATION										
If the community official rules is not the "lowest floor" as floor" as defined by the or 2. Date of the start of constr	s defined in the comn rdinance is:	nunity's floodpla	rations specifies that the rations specifies that the rational management ordinance GVD (or other FIRM datu	e, the elevation o	of the building's "lowest					


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LIC						
MICHAGI J. BAKEN							
TITLE	COMPANY NAME						
LAND Junvayor	Millace BAK	n Assoc		PC	3466)		
ADDRESS 9 STOPPING AND	MARPON Sprines		V	STATE	ZIP		
SIGNATURE MANNALL	V-C-	6/29/92	(eis)	PHONE (938-455	5026)		
Copies should be made of this Certificate	for: 1) community official, 2	insurance age	nt/compar	y, and 3) build	ling owner.		
		R 48	-				
COMMENTS:							
(
31					(r		
	7						



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.