

465339

9/17/18  
 CB17-06608  
 K. HICPL

# ELEVATION CERTIFICATE

**Important:** Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION				FOR INSURANCE COMPANY USE	
A1. Building Owner's Name SCOTT J. & SUSAN M. McFARLAND				Policy Number:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 2242 DONATO DRIVE				Company NAIC Number:	
City BELLEAIR BEACH		State FLORIDA		ZIP Code 33786	
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) LOT 70, BELLEVUE ESTATES ISLAND SECOND ADDITION - PARCEL # 30-29-15-07776-000-0700					
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) <u>RESIDENTIAL</u>					
A5. Latitude/Longitude: Lat. <u>27.9295° N.</u> Long. <u>82.8363° W.</u> Horizontal Datum: <input type="checkbox"/> NAD 1927 <input checked="" type="checkbox"/> NAD 1983					
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.					
A7. Building Diagram Number <u>7</u>					
A8. For a building with a crawlspace or enclosure(s):					
a) Square footage of crawlspace or enclosure(s) <u>1,954</u> sq ft					
b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade <u>10</u>					
c) Total net area of flood openings in A8.b *SEE NOTES sq in					
d) Engineered flood openings? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					
A9. For a building with an attached garage:					
a) Square footage of attached garage <u>N/A</u> sq ft					
b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade <u>N/A</u>					
c) Total net area of flood openings in A9.b <u>N/A</u> sq in					
d) Engineered flood openings? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
B1. NFIP Community Name & Community Number CITY OF BELLEAIR BEACH - 125089			B2. County Name PINELLAS COUNTY		B3. State FLORIDA
B4. Map/Panel Number 12103C0112	B5. Suffix G	B6. FIRM Index Date 8-18-2009	B7. FIRM Panel Effective/ Revised Date 9-3-2003	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth) 11.0'
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: <input type="checkbox"/> FIS Profile <input checked="" type="checkbox"/> FIRM <input type="checkbox"/> Community Determined <input type="checkbox"/> Other/Source: _____					
B11. Indicate elevation datum used for BFE in Item B9: <input type="checkbox"/> NGVD 1929 <input checked="" type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other/Source: _____					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Designation Date: <u>N/A</u> <input type="checkbox"/> CBRS <input type="checkbox"/> OPA					

**ELEVATION CERTIFICATE**

OMB No. 1660-0008  
Expiration Date: November 30, 2018

<b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>			<b>FOR INSURANCE COMPANY USE</b>
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 2242 DONATO DRIVE			Policy Number:
City BELLEAIR BEACH	State FLORIDA	ZIP Code 33786	Company NAIC Number

**SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)**

C1. Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction

\*A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.

Benchmark Utilized: BROOKSVILLE CORS ARP Vertical Datum: N.A.V.D. 1988

Indicate elevation datum used for the elevations in items a) through h) below.

NGVD 1929  NAVD 1988  Other/Source: \_\_\_\_\_

Datum used for building elevations must be the same as that used for the BFE.



Check the measurement used.

- |   |              |  |                                 |
|---|--------------|--|---------------------------------|
| a) Top of bottom floor (including basement, crawlspace, or enclosure floor)   | <u>7.63</u>  | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| b) Top of the next higher floor   | <u>17.45</u> | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| c) Bottom of the lowest horizontal structural member (V Zones only)   | <u>N/A</u>   | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| d) Attached garage (top of slab)  | <u>N/A</u>   | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| e) Lowest elevation of machinery or equipment servicing the building<br>(Describe type of equipment and location in Comments) | <u>N/A</u>   | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| f) Lowest adjacent (finished) grade next to building (LAG)  | <u>6.6</u>   | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| g) Highest adjacent (finished) grade next to building (HAG)   | <u>6.9</u>   | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support                                  | <u>N/A</u>   | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |

**SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION**

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Were latitude and longitude in Section A provided by a licensed land surveyor?  Yes  No  Check here if attachments.

Certifier's Name GEORGE A. SHIMP III	License Number 6137	Place Seal Here   # 6137 Date: <u>6-15-2018</u> (Not valid unless embossed with surveyor's original raised seal)
Title VICE PRESIDENT	Job Number 170195-F	
Company Name GEORGE A. SHIMP II & ASSOCIATES, INC.		
Address 3301 DeSOTO BOULEVARD, SUITE D		
City PALM HARBOR	State FLORIDA	
Signature 	Date 6-15-2018	Telephone 727-784-5496

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments (including type of equipment and location, per C2(e), if applicable)

SEE ATTACHMENT PAGES 7 AND 8 FOR SURVEYOR'S NOTES AND COMMENTS. THIS DOCUMENT IS NOT VALID UNLESS SIGNED AND EMBOSSED WITH THE SURVEYOR'S ORIGINAL RAISED SEAL AND MUST CONTAIN ALL 8 PAGES.

**ELEVATION CERTIFICATE**

OMB No. 1660-0008  
Expiration Date: November 30, 2018

<b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>			<b>FOR INSURANCE COMPANY USE</b>
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 2242 DONATO DRIVE			Policy Number:
City BELLEAIR BEACH	State FLORIDA	ZIP Code 33786	Company NAIC Number

**SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED)  
FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
- a) Top of bottom floor (including basement, crawlspace, or enclosure) is \_\_\_\_\_ . \_\_\_\_\_  feet  meters  above or  below the HAG.
- b) Top of bottom floor (including basement, crawlspace, or enclosure) is \_\_\_\_\_ . \_\_\_\_\_  feet  meters  above or  below the LAG.
- E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1–2 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is \_\_\_\_\_ . \_\_\_\_\_  feet  meters  above or  below the HAG.
- E3. Attached garage (top of slab) is \_\_\_\_\_ . \_\_\_\_\_  feet  meters  above or  below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is \_\_\_\_\_ . \_\_\_\_\_  feet  meters  above or  below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F – PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner or Owner's Authorized Representative's Name

Address City State ZIP Code

Signature Date Telephone

Comments

Check here if attachments.



# BUILDING PHOTOGRAPHS

## ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008  
Expiration Date: November 30, 2018

<b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>			<b>FOR INSURANCE COMPANY USE</b>
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 2242 DONATO DRIVE			Policy Number:
City BELLEAIR BEACH	State FLORIDA	ZIP Code 33786	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT VIEW

6-15-2018



Photo Two

Photo Two Caption REAR VIEW

6-15-2018

# BUILDING PHOTOGRAPHS

## ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008  
Expiration Date: November 30, 2018

<b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>			<b>FOR INSURANCE COMPANY USE</b>
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 2242 DONATO DRIVE			Policy Number:
City BELLEAIR BEACH	State FLORIDA	ZIP Code 33786	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

Photo One

Photo One

Photo Three Caption N/A

N/A

Photo Two

Photo Two

Photo Four Caption N/A

N/A



# Surveyor's Notes

Attachment Page 7

OMB No. 1660-0008  
Expiration Date: November 30, 2018

## ELEVATION CERTIFICATE

<b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>	<b>FOR INSURANCE COMPANY USE</b>		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 2242 DONATO DRIVE	Policy Number:		
City BELLEAIR BEACH	State FLORIDA	ZIP Code 33786	Company NAIC Number

### SECTION D – SURVEYOR'S CERTIFICATION (CONTINUED FROM PAGE 2)

A1.) THIS ELEVATION CERTIFICATE WAS EXCLUSIVELY PREPARED FOR AND CERTIFIED TO THE PARTY SPECIFIED IN SECTION A, ITEM 1, FOR THE SPECIFIC PURPOSE OF OBTAINING FLOOD INSURANCE AND/OR VERIFYING FLOOD ZONE COMPLIANCE WITH THE LOCAL GOVERNING AUTHORITY. USE OF THIS DOCUMENT BY ANY OTHER PARTY OR FOR ANY OTHER PURPOSES IS STRICTLY PROHIBITED AND SHALL RENDER THIS DOCUMENT INVALID FOR THOSE PURPOSES. THIS DOCUMENT SHALL NOT BE VALID OR BINDING AGAINST THE SIGNING SURVEYOR UNLESS IT IS SIGNED AND EMBOSSED WITH THE ORIGINAL RAISED SEAL OF THE FLORIDA LICENSED SURVEYOR AND MAPPER.

UNAUTHORIZED COPIES IN ANY FORM OR BY ANY MEANS, INCLUDING PHOTOCOPYING OR OTHER ELECTRONIC OR MECHANICAL METHODS, ARE STRICTLY PROHIBITED, SHALL NOT BE CONSIDERED AS SIGNED AND SEALED AND SHALL NOT BE VALID. REQUESTS FOR ANY ADDITIONAL OFFICIAL SIGNED AND SEALED COPIES MUST BE DIRECTED TO GEORGE A. SHIMP II & ASSOCIATES, INC.

A4.) THE BUILDING USE WAS DETERMINED BY PHYSICAL OBSERVATIONS MADE ON THE DATE OF SURVEY.

A5.) THE LATITUDE AND LONGITUDE COORDINATES WERE OBTAINED USING A HAND HELD G.P.S. UNIT WHICH MEETS OR EXCEEDS FEMA'S REQUIRED ACCURACY OF 66 FEET.

A7.) THE BUILDING DIAGRAM NUMBER WAS DETERMINED BY PHYSICAL OBSERVATIONS MADE ON THE DATE OF SURVEY. CERTAIN STRUCTURAL FEATURES NOT VISIBLE TO THE SURVEYOR (PILINGS, GRADE BEAMS, ETC.) OR USE OF ANY AREAS BELOW THE BASE FLOOD ELEVATION THAT DOES NOT COMPLY WITH FEMA REGULATIONS CAN AFFECT THIS DETERMINATION.

A8.) FOR THE PURPOSE OF THIS DOCUMENT, A BUILDING ENCLOSURE IS DEFINED AS THAT PORTION OF AN ELEVATED BUILDING, BELOW THE LOWEST ELEVATED FLOOR, THAT IS EITHER PARTIALLY OR FULLY SHUT IN BY RIGID WALLS. A GARAGE BELOW OR ATTACHED TO AN ELEVATED BUILDING IS CONSIDERED AN ENCLOSURE. SUCH AREAS SHALL NOT CONTAIN MORE THAN 20 LINEAR FEET OF FINISHED INTERIOR WALLS (PANELING, ETC.) OR IT WILL BE CONSIDERED A FINISHED (HABITABLE) AREA.

A8. & A9.) FOR THE PURPOSE OF THIS DOCUMENT, A FLOOD OPENING IS DEFINED AS A PERMANENT OPENING IN AN EXTERIOR WALL THAT IS NO HIGHER THAN 1.0 FOOT ABOVE THE HIGHER OF THE EXTERIOR OR INTERIOR GRADE OR FLOOR IMMEDIATELY BELOW THE OPENING.

IN REGARD TO ENGINEERED FLOOD OPENING(S), IF APPLICABLE, THE SURVEYOR DOES NOT KEEP COPIES OF EITHER THE INDIVIDUAL ENGINEERED FLOOD OPENINGS CERTIFICATION OR THE EVALUATION REPORT ISSUED BY THE INTERNATIONAL CODE COUNCIL EVALUATION SERVICE (ICC ES) ON FILE. CURRENT COPIES OF THESE DOCUMENTS SHOULD BE AVAILABLE FROM THE MANUFACTURER OF THE ENGINEERED FLOOD OPENING(S).

B8.) UNLESS OTHERWISE NOTED IN SECTION B, ITEM 10, THE FLOOD ZONE WAS DETERMINED BASED ON THE FLOOD INSURANCE RATE MAP. IN CERTAIN CASES WHERE AN ACCURATE DETERMINATION COULD NOT BE MADE FROM THE MAP, FEMA'S INTERACTIVE MAP OR THE COUNTY'S G.I.S. OVERLAY MAY HAVE BEEN UTILIZED TO DETERMINE THE FLOOD ZONE. NO SEARCH OF THE PUBLIC RECORDS WAS PERFORMED FOR LOMA'S, LOMR'S, ETC. WHICH MAY AFFECT THE SITE.

B9.) IF APPLICABLE, WHEN THE BASE FLOOD ELEVATION IS SHOWN AS A WHOLE NUMBER ON THE FIRM, IT HAS BEEN CONVERTED TO A DECIMAL AND ENTERED TO THE NEAREST TENTH OF A FOOT AS REQUIRED BY FEMA.

IF APPLICABLE, THE STRUCTURE CONTAINS:  CRAWLSPACE  ENCLOSURE  ATTACHED GARAGE  N/A

IF APPLICABLE, THE BOTTOM FLOOR ENCLOSURE CONTAINS: GARAGE, STORAGE AREA, STAIRS & ELEVATOR

IF APPLICABLE, DOES THE BOTTOM FLOOR ENCLOSURE APPEAR TO CONTAIN BREAK-AWAY WALLS?  YES  NO  N/A

IF APPLICABLE, THIS ELEVATION CERTIFICATE WAS PREPARED USING THE "HISTORIC" FLOOD MAP DATA AND DATUM (N.G.V.D. 1929) FOR POSSIBLE "GRANDFATHERING" PURPOSES:  YES  NO

# Surveyor's Notes

Attachment Page 8

OMB No. 1660-0008

Expiration Date: November 30, 2018

## ELEVATION CERTIFICATE

<b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>	<b>FOR INSURANCE COMPANY USE</b>
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 2242 DONATO DRIVE	Policy Number:
City BELLEAIR BEACH	State FLORIDA
ZIP Code 33786	Company NAIC Number

### SECTION D – SURVEYOR'S CERTIFICATION (CONTINUED FROM PAGE 7)

IN REGARD TO ENGINEERED FLOOD OPENINGS, AS REFERENCED IN SECTIONS A8 AND A9 IF APPLICABLE, THE STRUCTURE'S:

CRAWLSPACE CONTAINS N/A ENGINEERED FLOOD OPENING(S) CERTIFIED TO COVER N/A SQ. FEET PER OPENING (MANUFACTURER: N/A – MODEL: N/A) FOR A TOTAL OF N/A SQ. FEET OF COVERAGE AND N/A NON-ENGINEERED FLOOD OPENING(S) WITH A NET AREA OF N/A SQ. INCHES, PROVIDING COVERAGE FOR A TOTAL OF N/A SQ. FEET.

ENGINEERED FLOOD OPENING(S) ARE:  INSTALLED  UNDER CONSTRUCTION  PER PLAN  N/A

NOTES: N/A

ENCLOSURE CONTAINS 10 ENGINEERED FLOOD OPENING(S) CERTIFIED TO COVER 200 SQ. FEET PER OPENING (MANUFACTURER: FLOOD SOLUTIONS – MODEL: 1608-F) FOR A TOTAL OF 2000 SQ. FEET OF COVERAGE AND 0 NON-ENGINEERED FLOOD OPENING(S) WITH A NET AREA OF 0 SQ. INCHES, PROVIDING COVERAGE FOR A TOTAL OF 2000 SQ. FEET.

ENGINEERED FLOOD OPENING(S) ARE:  INSTALLED  UNDER CONSTRUCTION  PER PLAN  N/A

NOTES: N/A

ATTACHED GARAGE CONTAINS N/A ENGINEERED FLOOD OPENING(S) CERTIFIED TO COVER N/A SQ. FEET PER OPENING (MANUFACTURER: N/A – MODEL: N/A) FOR A TOTAL OF N/A SQ. FEET OF COVERAGE AND N/A NON-ENGINEERED FLOOD OPENING(S) WITH A NET AREA OF N/A SQ. INCHES, PROVIDING COVERAGE FOR A TOTAL OF N/A SQ. FEET.

ENGINEERED FLOOD OPENING(S) ARE:  INSTALLED  UNDER CONSTRUCTION  PER PLAN  N/A

NOTES: N/A

C2.e) NO MACHINERY AND/OR EQUIPMENT HAS BEEN INSTALLED.

BOTTOM OF ELEVATOR PIT ELEVATION = 6.56'.